STONE+

Safety Data Sheet

BS H2O

PFP242

Faber revision 6 · 22/02/2022

English
Stone+ translation of the official Italian-language Faber safety data sheet.
Faber publishes BS H2O in Italian only. All 16 sections of the source are retained.
In case of doubt or inconsistency, the Italian source version issued by Faber prevails.

Manufacturer and party responsible for the safety data sheet

Faber Stone & Tile · FABER CHIMICA S.R.L.

Via G. Ceresani, 10 · Campo d'Olmo · 60044 Fabriano (AN), Italia
+39 0732 627178 · quality@fabersurfacecare.com

Distributor

STONE+
www.stoneplus.be · www.stoneplus.eu

Source and version control

Faber B2B · BS H2O · SDS IT (source for this translation)
Translated from the official Faber safety data sheet in Italian.
Source revision: 6 · 22/02/2022 (supersedes revision 5 · 10/06/2020)

REACH · 2020/878 · CLP

Safety Data Sheet

In accordance with Annex II to REACH - Regulation (EU) 2020/878

BS H2O · Faber revision no. 6 · 22/02/2022 · supersedes revision 5 · 10/06/2020

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code:	**PFP242**
Product name	**BS H2O**
Chemical name and synonyms	**BS H2O**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use	**Back treatment against rising damp for natural stone**

1.3. Details of the supplier of the safety data sheet

Name	**FABER CHIMICA S.R.L.**
Address	**Via Ceresani 10**
Location and country	**60044 Campo D'Olmo - Fabriano (ANCONA) ITALY**
Tel.	**0732627178**
Fax	**073222395**
E-mail address of the competent person responsible for the safety data sheet	**quality@fabersurfacecare.com**

1.4. Emergency telephone number

For urgent inquiries refer to **Istituto Superiore di Sanità (ISS)**
Viale Regina Elena 299, Rome, Italy
E-mail inscweb@iss.it

Stone+ addition (distributor) – national poison centres:

Belgium	Antigifcentrum / Centre Antipoisons: +32 70 245 245 (free, 24/7)
Luxembourg	Centre Antipoisons: 8002 5500 (free, 24/7)
Netherlands	Nationaal Vergiftigingen Informatie Centrum (NVIC): +31 30 274 88 88 (for doctors and first responders only)
France	Centre Antipoison de Paris (ORFILA): +33 1 45 42 59 59
Germany	Giftnotruf Berlin: +49 30 19240

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in Regulation (EC) 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section 3, it requires a safety data sheet with appropriate information, in compliance with Regulation (EU) 2020/878.

Hazard classification and indication: **--**

2.2. Label elements

Hazard labelling pursuant to Regulation (EC) 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms: **--**

Signal words: **--**

Hazard statements:

EUH210	Safety data sheet available on request.
EUH208	Contains: Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 1,2-benzisothiazol-3(2H)-one May produce an allergic reaction.

Precautionary statements: **--**

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ 0.1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification		x = Conc. %	Classification 1272/2008 (CLP)
1,2-benzisothiazol-3(2H)-one			
CAS	2634-33-5	0 ≤ x < 0.05	Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1
EC	220-120-9		Skin Sens. 1A H317: ≥ 0.05%
INDEX	613-088-00-6		LD50 oral: 670 mg/kg bw
REACH Reg.	01-2120761540-60		
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			
CAS	55965-84-9	0 ≤ x < 0.0015	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=100, EUH071
EC			Skin Corr. 1C H314: ≥ 0.6%, Skin Irrit. 2 H315: ≥ 0.06%, Skin Sens. 1A H317: ≥ 0.0015%, Eye Dam. 1 H318: ≥ 0.6%, Eye Irrit. 2 H319: ≥ 0.06%
INDEX	613-167-00-5		ATE oral: 100 mg/kg, ATE dermal: 50.001 mg/kg, ATE inhalation vapours: 0.501 mg/l
REACH Reg.	01-2120764691-48		

The full wording of hazard (H) statements is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention immediately.

SKIN: Remove contaminated clothing. Shower immediately. Get medical advice/attention immediately.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention immediately. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove the victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

No specific information is known on symptoms and effects caused by the product.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

Normal firefighting clothing, i.e. open-circuit compressed air breathing apparatus (EN 137), fire-proof clothing (EN 469), fire-proof gloves (EN 659) and boots for firefighters (HO A29 or A30).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those

involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Vacuum the spilled product into a suitable container. Evaluate the compatibility of the container to be used by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

1,2-benzisothiazol-3(2H)-one		
Predicted no-effect concentration - PNEC		
Normal value in fresh water	403	µg/l
Normal value in marine water	403	µg/l
Normal value for fresh water sediment	499	µg/kg dw
Normal value for marine water sediment	499	µg/kg dw
Normal value for water, intermittent release	11	µg/l
Normal value of STP microorganisms	103	mg/l
Normal value for the terrestrial compartment	3	mg/kg/d

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	**Effects on consumers**				**Effects on workers**			
	Acute local	**Acute systemic**	**Chronic local**	**Chronic systemic**	**Acute local**	**Acute systemic**	**Chronic local**	**Chronic systemic**
Inhalation				1.2 mg/m3		6.81 mg/m3		
Skin				0.345 mg/kg bw/d		0.966 mg/kg bw/d		

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
Predicted no-effect concentration - PNEC		
Normal value in fresh water	339	µg/L
Normal value in marine water	339	µg/L
Normal value for fresh water sediment	27	mg/kg/d
Normal value for marine water sediment	27	mg/kg/d
Normal value of STP microorganisms	23	mg/l
Normal value for the terrestrial compartment	1	mg/kg/d

Health - Derived no-effect level - DNEL / DMEL

Route of exposure	**Effects on consumers**				**Effects on workers**			
	Acute local	**Acute systemic**	**Chronic local**	**Chronic systemic**	**Acute local**	**Acute systemic**	**Chronic local**	**Chronic systemic**
Inhalation			0.02 mg/m3				0.02 mg/m3	

VND = hazard identified but no DNEL/PNEC available; NEA = no exposure expected; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable for preparations. Gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wearing airtight protective goggles is recommended (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.), combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (see standard EN 137) or external air-intake breathing apparatus (see standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Information
Physical state	liquid	
Colour	white	
Odour	faint	
Melting point / freezing point	Not available	
Initial boiling point	Not available	
Flammability	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Flash point	Not available	
Auto-ignition temperature	Not available	
pH	10-11	Concentration: 5 % Temperature: 20 °C
Kinematic viscosity	Not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	1005-1025 g/l	
Relative vapour density	Not available	
Particle characteristics	Not applicable	

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However, the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental toxicological data on the product itself, the possible health hazards of the product have been evaluated on the basis of the properties of the substances it contains, using the criteria specified in the applicable classification regulation.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, if any, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture:	**Not classified (no significant component)**
ATE (Oral) of the mixture:	**Not classified (no significant component)**
ATE (Dermal) of the mixture:	**Not classified (no significant component)**

1,2-benzisothiazol-3(2H)-one

LD50 (Dermal):	**> 2000 mg/kg bw**
LD50 (Oral):	**670 mg/kg bw Rat**

Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

LD50 (Dermal):	**600 mg/kg bw**
ATE (Dermal):	**50.001 mg/kg estimate from Table 3.1.2 of Annex I to CLP (value used to calculate the acute toxicity estimate of the mixture)**
LD50 (Oral):	**457 mg/kg bw**
LC50 (Inhalation vapours):	**123 mg/m³**

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction.
Contains:
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
1,2-benzisothiazol-3(2H)-one

Respiratory sensitisation

Information not available

Skin sensitisation

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

1,2-benzisothiazol-3(2H)-one		
LC50 - for Fish	167 mg/l/96h	Cyprinodon variegatus
EC50 - for Crustacea	249 mg/l/48h	Daphnia magna
EC50 - for Algae / Aquatic Plants	110 µg/l	
EC10 for Algae / Aquatic Plants	403 µg/l	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)		
LC50 - for Fish	58 mg/l/96h	Danio rerio
EC50 - for Crustacea	7 mg a.i./L	
EC50 - for Algae / Aquatic Plants	52 µg a.i./L	
EC10 for Algae / Aquatic Plants	188 mg/l/72h	Pseudokirchneriella subcapitata
Chronic NOEC for Algae / Aquatic Plants	49 µg a.i./L	

12.2. Persistence and degradability

Information not available

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ 0.1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso category - Directive 2012/18/EU:	**None**

Restrictions relating to the product or contained substances pursuant to Annex XVII to Regulation (EC) 1907/2006

Contained substance	**Point 75**
Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors	**Not applicable**
Substances in Candidate List (Art. 59 REACH)	**On the basis of available data, the product does not contain any SVHC in percentage ≥ 0.1%.**
Substances subject to authorisation (Annex XIV REACH)	**None**
Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:	**None**
Substances subject to the Rotterdam Convention:	**None**
Substances subject to the Stockholm Convention:	**None**
Healthcare controls	**Information not available**

15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture / for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in sections 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1C	Skin corrosion, category 1C
Eye Dam. 1	Serious eye damage, category 1
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H310	Fatal in contact with skin.
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS: Chemical Abstract Service Number
- EC: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EC50: Effective concentration (required to induce a 50% effect)
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- ATE (STA): Acute Toxicity Estimate
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German)

GENERAL BIBLIOGRAPHY:

1. Regulation (EC) 1907/2006 of the European Parliament (REACH)
2. Regulation (EC) 1272/2008 of the European Parliament (CLP)
3. Regulation (EU) 2020/878 (Annex II of the REACH Regulation)
4. Regulation (EC) 790/2009 of the European Parliament (I Atp. CLP)
5. Regulation (EU) 286/2011 of the European Parliament (II Atp. CLP)
6. Regulation (EU) 618/2012 of the European Parliament (III Atp. CLP)
7. Regulation (EU) 487/2013 of the European Parliament (IV Atp. CLP)
8. Regulation (EU) 944/2013 of the European Parliament (V Atp. CLP)
9. Regulation (EU) 605/2014 of the European Parliament (VI Atp. CLP)
10. Regulation (EU) 2015/1221 of the European Parliament (VII Atp. CLP)
11. Regulation (EU) 2016/918 of the European Parliament (VIII Atp. CLP)
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (EU) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148

18. Delegated Regulation (EU) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (EU) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (EU) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (EU) 2021/849 (XVII Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The methods for evaluating the physical and chemical properties are reported in section 9.

Health hazards: product classification is based on calculation methods as per Annex I of CLP, Part 3, unless otherwise specified in section 11.

Environmental hazards: product classification is based on calculation methods as per Annex I of CLP, Part 4, unless otherwise specified in section 12.

Stone+ translation of the official Faber safety data sheet BS H2O in Italian (revision 6, 22/02/2022). Figures, codes, classifications and limit values have been taken over unchanged. The national poison centres in section 1.4 are a Stone+ addition. In case of doubt or inconsistency, the Italian source version issued by Faber Chimica S.r.l. prevails.